



# FLOWSTOP

## USER'S MANUAL

### Your equipment

#### Your FlowStop

1. A handle
2. A top cushion
3. One lower cushion
4. Instructions
5. Two height marker bands
6. Two valves
7. QR code



#### The pump

8. Inflation device
9. Hose
10. Pressure gauge
11. Outlet «to inflate» INF
12. Deflation» outlet DEF

### Installing the pump

#### Step 1 : Connect your hose

- On the height of the pump tube are two ports INF for Inflate (to inflate your device) and DEF for Deflate (to deflate your device).
- Connect your hose to the INF port.

#### Step 2 : Focus your efforts

- At the top of the pump tube there is a cap that allows you to gauge your efforts during inflation. As long as it is in place, you can push and pull as much air into your FlowStop.
- When the double action is too difficult, you can remove the cap so that you only put air in by pushing.



#### Video tutorial

- > Go on : [www.flowstop.co](http://www.flowstop.co)
- > Section : Guide FlowStop
- > Tutorial : How to install the pump of a Flowstop

## How to proceed




Over 1.5m wide, it is strongly recommended that two people do the installation.

### Step 1 : Pre-inflation of the upper cushion



We recommend inflating the flowstop empty for the first use.


- First, press the central plunger of the upper cushion valve so that it is in the up position.
- Screw on the pump hose.
- Inflate the cushion sufficiently to shape it so that it can be put in place more easily.



Pre-inflate the top cushion.

### Step 2 : Position your FlowStop

- Place your cushion at the opening to be protected.
- Once installed, ensure that the cushion is perfectly positioned using the black line on the skirt (see paragraph 1<sup>st</sup> «Your equipment! »).
- To do this, it must be perfectly level with the level with the ground in order to optimise protection and therefore the watertightness of your device.



Position the Flowstop in the opening and finish inflating the top cushion.




Be careful when placing it in your opening and do not hesitate to force it in.

### Step 3 : Inflating the upper cushion

- Inflate the upper cushion completely with the pump (recommended minimum pressure 0.8 bar). To ensure this, you will find a pressure gauge on the top of your pump.
- Once the upper cushion is inflated, unscrew the hose and close it with the protective cap.

### Step 4: Inflating the lower cushion

- As with the upper cushion, remember to press the central plunger of the valve before inflation so that it pops out
- Screw on the hose, and inflate the lower cushion, which will press against the floor and provide maximum sealing.
- Once the lower cushion is inflated, unscrew the hose and close with the protective cap.



Pre-inflate the bottom cushion.



### Video tutorial

- > Go on : [www.flowstop.co](http://www.flowstop.co)
- > Section : Guide FlowStop
- > Tutorial : how to set up and inflate my flowstop

## Once the flood has passed

### Step 1 : Deflate the upper cushion

- First, remove the protective cap.
- Press the valve continuously until the cushion is sufficiently deflated. cushion is sufficiently deflated.

### Step 2 : Deflate the lower cushion

- Repeat **Step 1** for the lower cushion.

### Step 3 : Clean the FlowStop

- You can clean the FlowStop with clear water before storage.



You can use the pump to optimally deflate your Flowstop.  
To do this, connect the hose to the DEF mode of your pump.



### Video tutorial

- > Go on : [www.flowstop.co](http://www.flowstop.co)
- > Section : Guide FlowStop
- > Tutorial : How to deflate and store my Flowstop

## Our Flowstop tracking service




This service is not mandatory, this option can allow you to prove to your insurer that you have deployed your FlowStop in case of flooding.

### Step 1 : Add my FlowStop

From the browser of your smartphone, go to [app.flowstop.fr](http://app.flowstop.fr) or directly via this QR code:

- Take a picture of the QR code on your FlowStop
- Enter your location



More on the  
back page






## Step 2 : In case of flooding

- Open your camera application.
- Scan the QR code on your FlowStop.
- Confirm that your device is properly inflated.
- Take a picture of the device in place.



Anyone can do this action ;) Neighbour, friend, ...



Share your experience on  
**flowstop.co**